Dated 25th February 1916.

Notice is hereby given that sealed tenders will be received at the office of the Sanitary Engineer, Water-Supply Division, up to 12 noon of 5th April 1916, for the supply of 4,000 tons Jungle fuel and 1,000 tons of Casuarina fuel for Bethamangala Pumping Station for the year 1916-17. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of March 1917.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

Description of work	Unit of work	Rate per unit
Supply of Jungle fuel and Casuarina fuel ...	Ton	

3. Each tender must be accompanied by a deposit of Rs. 750, in cash or Government promissory notes, as earnest money, and be superscribed "Tender for the supply of Casuarina and Jungle fuel to Bethamangala Pumping Station," in default of which, tenders will be rejected.

4. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

5. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

6. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Sanitary Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

7. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

8. Specifications for Jungle and Casuarina fuel are herewith attached.

9. The contractor whose tender is accepted should begin the collection from 1st July 1916 or fifteen days from date of intimation of the acceptance of his tender from this office if the same is not received within the 15th of June 1916.

10. During the 1st month at least 300 tons of jungle and 100 tons of casuarina fuel should be supplied.

11. The monthly collection of the balance should not be less than 500 tons of jungle and 100 tons of casuarina subject to the Maximum limit of 3,700 tons of the former and 900 tons of the latter.

Dated 25th February 1916.

Notice is hereby given that sealed tenders will be received at the office of the Sanitary Engineer, Water-Supply Division, up to 12 noon of 5th April 1916, for the supply of 4,000 tons of Casuarina fuel for the Pumping Station at Soldevanhalli. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of March 1917.

2. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

Description of work	Unit of work	Rate per unit
Supply of Casuarina fuel	Ton	

3. Each tender must be accompanied by a deposit of Rs. 500, in cash or Government promissory notes, as earnest money, and be superscribed "Tenders for the supply of Casuarina fuel to Soldevanhalli Pumping Station," in default of which, tenders will be rejected.

4. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or assign any reason whatever for the rejection of any tender.

5. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

6. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

7. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

8. Specification for Casuarina is herewith attached.

9. The contractor whose tender is accepted shall begin the supply of fuel on 1st July 1916 or fifteen days after receipt of intimation of acceptance of his tender from this office, if the same is not received by the 15th June 1916.

10. During the 1st month at least 300 tons of fuel must be supplied.

11. The monthly supply for the remaining period shall not be less than 460 tons of fuel subject to the maximum limit of 3,700 tons.

SPECIFICATION FOR CASUARINA FUEL.

1. The wood to be solely casuarina and to be in straight lengths. The maximum and minimum dimensions which will be accepted are given below:—

	Length.		Thickness.	
	Maximum.	Minimum.	Maximum.	Minimum.
Running wood	... 24″	18″	8″	3″

The billets are to be sawn to lengths, not chopped.

The wood to be stacked by the contractor in the portion approved by the Executive Engineer or his representatives.

Stacks must be of rectangular shape, the sides being vertical and straight and the tops level; the wood must be laid evenly straight and close; the pieces composing the walls must be laid at right angle to the direction of such walls, having first been sawn to an uniform length as above; the interior of the stacks must be packed as closely as possible, the pieces being regularly laid with their lengths all in the one direction which leave no vacant space.

The stacks to be built of such dimensions that the cubical measurements of each is a multiple of 68 cubic feet.

17 feet by 8 feet by 5 feet=680 cubic feet=10 tons.

Sixty-eight feet of closely stacked wood will be accepted as equivalent to one ton.

The Executive Engineer or his representatives will inspect the wood as it is being stacked and shall have power to reject any pieces that are hollow, rotten, crooked or otherwise unsuitable for fuel for engines; he will also satisfy himself that the pieces are in accordance with the dimensions specified above and that the stacks are built as required; he shall also have power to reject any stacks which do not, in all respects, comply with the terms of this specification.

The wood must be at the risk of the contractor until it is stacked, approved, measured and accepted by the Executive Engineer or his representatives.

When stacks are taken over the contractor or his representative must be present during the measurement and must sign the record of measurement made by the Executive Engineer or his representatives in token of his agreement to the corrections thereof.

SPECIFICATION.

The wood to be jungle fuel. The maximum and minimum dimensions which will be accepted are given below:—

Length.		*Thickness.*	
Maximum.	Minimum.	Maximum.	Minimum.
24″	18″	7″	3″

The billets are to be sawn and not chopped. Billets of over 7 inches in diameter to be split.

The wood to be stacked by the contractor in the portion approved of by the Executive Engineer or his representative.

Stacks must be of rectangular shape, the sides being vertical and straight and the top level. The wood must be laid evenly straight and close, the pieces composing the walls

must be laid at right angles to the direction of such walls, having first been sawn to an uniform length as above.

The interior of the stacks must be packed as closely as possible, the pieces being regularly laid with their lengths all in the one direction which leave no vacant space.

The stacks to be built of such dimensions that the cubical contents of each is a multiple of 75 cubic feet.

$$15' \times 10' \times 5' = 750 \text{ cubic feet} = 10 \text{ tons.}$$

Seventy-five cubic feet of closely packed wood will be accepted as equivalent to a ton.

The Executive Engineer or his representatives will inspect the wood as it is being stacked and shall have power to reject any pieces that are hollow, rotton or otherwise unsuitable for fuel for boilers; he will also satisfy himself that the pieces are in accordance with the dimensions specified above and that the stacks are built as required. He shall have power to reject any stacks that do not in all respects comply with the terms of the specification.

The wood must be at the risk of the contractor until it is stacked, measured and accepted by the Executive Engineer or his representatives.

When stacks are taken over, the contractor or his representative must be present during the measurement and must sign the record of measurement in token of his agreement to the correctness thereof.

Soft wood unsuitable for steaming purposes will not be accepted.

Jali, thopyala, devadari, hunse, chigari, heddarne, gorve and other equally hard wood than those specified above and which the contractor would like to supply, may be supplied after he has got the previous sanction of the Executive Engineer or his representatives. A cart-load of the proposed fuel to be brought in first when the same will be tested and if suitable the contractor will be given permission in writing to such wood also in addition to the list of wood already approved of.

Soft wood such as nerle, muthaka, arali, allu, atti, goni and basari unsuitable for steaming purposes will not be accepted.

JOHN BHORE,
Sanitary Engineer.

KADUR DIVISION.

The following amounts are outstanding unadjusted in the accounts of the Executive Engineer, Kadur Division and notice is hereby given that the amounts will be credited to Revenue if not claimed within three months from this date.

	Rs.	a.	p.
1. Lakshminarayana, for repairing Police Station and Lines and P. W. Officers' quarters at Balgady ...	25	3	1
2. Varadarajulu Naidu, for repairing Narve-Nagalapur road ...	53	0	0
3. Rangappa, for repairing Sandal koti at Chikmagalur. ...	7	8	1

K. PONNAPPA,
Executive Engineer.

MYSORE STATE TROOPS, BANGALORE.

AUCTION SALE.

Notice dated 24th February 1916.

About ninety-eight jhools will be sold by public auction on Saturday the 18th March 1916 on the premises of the Mysore Military Stores, Bangalore, commencing at 2 P.M.

The sale will be conducted by the Superintendent, Mysore Government Military Stores.

The highest bidder shall be the purchaser, who shall pay the purchase money before the articles are removed, failing which the same will be resold at the risk of the original purchaser who shall make good the loss, if any, between the original amount and the same realized by the second sale, but shall not participate in any profit by such re-sale.

The Superintendent, Mysore Military Stores, reserves to himself the right of keeping back the articles if proper bids are not forthcoming.

AUCTION SALE.

Dated 3rd March 1916.

1. The following articles will be sold by public auction, on Monday the 27th March 1916 at 12 A.M., on the premises of the Mysore Military Stores, Bangalore.

2. The sale will be conducted by the Superintendent, Mysore Government Military Stores.

3. The highest bidder shall be the purchaser, who shall pay the purchase money before the articles are removed, failing which, the same will be re-sold at the risk of the original purchaser, who shall make good the loss, if any between the original amount and the sum realized by the second sale, but shall not participate in any profit by such re-sale.

4. The Superintendent, Mysore Military Stores, reserves to himself the right of keeping back the articles if proper bids are not forthcoming.

List of articles to be sold by public auction.

Serial No.	Particulars	No.	Serial No.	Particulars	No.
1	Jerseys	17	15	Tents	5
2	Caps Balaclava	3	16	Old gongs	2
3	Pyjamas, warm	3	17	Old boots	66 pairs.
4	Waterproof sheets	29	18	Old lance flags	71
5	Blankets, country	11	19	Sowar pagadi	271
6	Coats, warm	1	20	Do red kullas	280
7	Shoes, country	327 pairs	21	Do tape waist band ...	268
8	Pony jhools	40	22	Do lance flags	109
9	Water bottles	192	23	Do socks	184½ pairs.
10	Putties	201	24	Do bandages	184 do
11	Haversacks	191	25	Do boots	147 do
12	Leather belts	16	26	Clock	1
13	Side drum shells	8	27	Sepoy full dress trousers	15
14	Side drum rods with fly nuts	12			

Notice dated 10th March 1916.

1. Tenders are invited for the supply of the undermentioned articles for the Military Stores, Mysore Government, Bangalore.

2. Tenders should be in the undermentioned form sealed and addressed to the Chief Commandant, Mysore State Troops, and superscribed "Tenders for the supply of blue cloth to Military Stores."

3. Tenders will be received at the Chief Commandant's Office till 2 P.M. on Thursday the 30th March 1916, after which no tender will be received.

4. Tenders should clearly show the rate at which the article (which should correspond with the sealed sample) can be supplied. The sealed sample of the article could be seen in the Mysore Government Military Stores on any day during office hours.

5. Every tender should be accompanied with a deposit of Rs. 50, in currency notes. If the tender is accepted and the tenderer fails to undertake the contract, he will forfeit the amount. If the tender is not accepted the amount will be returned to the tenderer.

6. The name of the successful tenderer will be notified in due course on the board at the Chief Commandant's Office and he will be required to deposit as security one-tenth of the value of the article to be supplied and to execute an agreement for the due fulfilment of the contract for the supply required.

7. Should the contractor fail to comply with any of the conditions detailed above, the contract will be forthwith cancelled, and the deposit credited to Government.

8. The Chief Commandant reserves to himself the right of accepting or rejecting any tender without assigning any reason therefor.

Article required for the Mysore Government Military Stores.

Name of article.	*Quantity.*
Blue cloth	1,000 yards.

R. PUTTANNAH,

For *Chief Commandant, Mysore State Troops.*

TENDER FORM.

To

The Chief Commandant,

Mysore State Troops, Bangalore.

$\frac{I}{We}$ offer to supply the article according to the sealed sample at the Military Stores at the rates given in the accompanying list. It will be delivered at the Military Stores within *two months* from the date of communication of acceptance of tender.

Currency notes to the value of Rs. 50 are herein enclosed as earnest money.

Yours faithfully,

Dated..... .....